## Hand Brush, waterfed, 330 mm, Hard, Blue





Easily tackle any object eg. boots or surface requiring a direct water spray during cleaning. Features a precision water channel running through the block, effective bristle pattern and 2 different coupling types for extended compatibility. The couplings fits Nito and Gardena/Hozelock systems.

## **Technical Data**

Item Number	70573
Visible bristle length	25 mm
Couplings Size	1/2 "
Material	Polypropylene Stainless Steel (AISI 304) Polyester
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA compliant raw material (CFR 21)	Yes
Complies with UK 2019 No. 704 on food contact materials	Yes
Meets the REACH Regulation (EC) No. 1907/2006	Yes
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Box Quantity	10 Pcs.
Quantity per Pallet (80 x 120 x 180-200 cm)	960 Pcs
Quantity Per Layer (Pallet)	80 Pcs.
Length	330 mm
Width	48 mm
Height	75 mm
Net Weight	0.24 kg
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)	0.0056 kg
Weight cardboard	0.026 kg
Tare total	0.0316 kg
Gross Weight	0.27 kg
Cubik metre	0.001188 M3
Recommended sterilisation temperature (Autoclave)	121 °C
Max. cleaning temperature (Dishwasher)	93 °C
Max usage temperature (food contact)	80 °C
Max usage temperature (non food contact)	100 °C
Min. usage temperature <sup>3</sup>	-20 °C
Max. drying temperature	100 °C
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	10.5 pH
Gtin-13 Number	5705022023994
GTIN-14 Number (Box quantity)	15705028024008

Customs Tariff No. 96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.